



#### PRODUCT DATA SHEET



















## Product Features

- 1. 15m long strip driven by one end power supply with same brightness from front to end.
- 2. 30m long strip drive by two end
- 3. Source by 2835 Top LEDS and IC for constant current control

## **⊞** CCT Option







## IP Rating Option














IP67
Silicone integrated molding/Extrusion



IP68 Sillcone tube injected silicone glue

## Dimensions



#### Note:

LED strip length tolerance is + -0.2%mm. Width tolerance is + -0.2%mm. Size of each section is 41.66mm. DC 24V





# Diagram

## Dimension (mm)

Length/Reel	Width	Height	Min. Cutting 🍾
5000	10	1.65	Every 41.66mm (5 LEDs)

## 🗐 Data

Part Number	Working Voltage	Power (W/m)	Current (A/m)	LED Qty/m	CRI	
UTFS-CC1120-2410-30M	24V	11W/m	0.5A/m	120	80+	

CCT (°K)	Luminous Efficiency	lumen/m
2700K	96lm/W	1152lm/m
3000K	96lm/W	1152lm/m
4000K	102lm/W	1296lm/m
6000K	102lm/W	1296lm/m

## Note:

The data base on IP20 non-waterproof.
The Lumen output value tolerance + -5% due to testing way.
The CCT will be + -100k tolerance.







# Absolute Maximum Ratings

Parameter	Symbol	Value	Units
Thermal Measurement Point	Tc	80	
Operating Temperature	Topr	-20~+40	°C
Storage Temperature	Ts	-20~+80	
Number of FPC Connection			

# Wiring Diagram Application



# Packaging











## Cautions







Pls wear the electrostatics ring for avoid ESD

# Safety & Disclosures

- 1. Do not install the led strip in environment where excessive heat may occur.
- 2. Do not extend beyond the recommended maximum run length.
- 3. Only use copper wiring. Use wires rated for at least 176°F(80°C) and certified for use with external connection of electrical equipment.
- 4. Do not install IP20 LED strip products in outdoor / wet location environments.
- 5. Excessive handling, bending, and pressure may damage the product, voiding the warranty.
- 6. Improper wire selection and installation could overheat wires, and cause fire.
- 7. Do not connect directly to high voltage or AC power.
- 8. Installation must be in accordance with local and national electrical code regulations.
- 9. To ensure safety and correct installation, our strips are intended to be installed by a qualified, licensed electrician.