

PRODUCT DATA SHEET



















Product Features

- 1. 25m long strip drive by end
- 2. 50m long strip driven by two end power supply with same brightness from front to end.
- 3. Source by 2835 Top LEDS and IC for constant current control

⊞ CCT Option







IP Rating Option














IP67
Silicone integrated molding/Extrusion



IP68 Sillcone tube injected silicone glue

Dimensions





Note:

LED strip length tolerance is + -0.2%mm. Width tolerance is + -0.2%mm. Size of each section is 50mm. DC 24V





Diagram

Length/Reel	Width	Height	Min. Cutting 😓
5000	12	1.65	Every 50mm (5 LEDs)

Data

Part Number	Working Voltage	Power (W/m)	Current (A/m)	LED Qty/m	CRI
UTFS-CC1100-2412-50M	24V	9.6W/m	0.4A/m	100	80+

CCT (°K)	Luminous Efficiency	lumen/m
2700K	90lm/W	903lm/m
3000K	90lm/W	903lm/m
4000K	110lm/W	1056lm/m
6000K	110lm/W	1056lm/m

Note:

The data base on IP20 non-waterproof.
The Lumen output value tolerance + -5% due to testing way.
The CCT will be + -100k tolerance.







Absolute Maximum Ratings

Parameter	Symbol	Value	Units
Thermal Measurement Point	Tc	80	
Operating Temperature	Topr	-20~+40	℃
Storage Temperature	Ts	-20~+80	
Number of FPC Connection			

Wiring Diagram Application



Packaging











Cautions







Pls wear the electrostatics ring for avoid ESD

▼ Safety & Disclosures

- 1. Do not install the led strip in environment where excessive heat may occur.
- 2. Do not extend beyond the recommended maximum run length.
- 3. Only use copper wiring. Use wires rated for at least 176°F(80°C) and certified for use with external connection of electrical equipment.
- 4. Do not install IP20 LED strip products in outdoor / wet location environments.
- 5. Excessive handling, bending, and pressure may damage the product, voiding the warranty.
- 6. Improper wire selection and installation could overheat wires, and cause fire.
- 7. Do not connect directly to high voltage or AC power.
- 8. Installation must be in accordance with local and national electrical code regulations.
- 9. To ensure safety and correct installation, our strips are intended to be installed by a qualified, licensed electrician.